DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

COMBINED COMPETITIVE (PRELIMINARY) EXAMINATION, 2013

CHEMISTRY Code No. 04



Time Allowed: Two Hours

Maximum Marks: 300

INSTRUCTIONS

- 1. IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET DOES NOT HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS, ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET.
- 2. ENCODE CLEARLY THE TEST BOOKLET SERIES **A, B, C OR D** AS THE CASE MAY BE IN THE APPROPRIATE PLACE IN THE RESPONSE SHEET.
- You have to enter your Roll Number on this
 Test Booklet in the Box provided alongside.
 DO NOT write anything else on the Test Booklet.

Your Roll No.		

- 4. This Booklet contains 120 items (questions). Each item comprises *four* responses (answers). You will select *one* response which you want to mark on the Response Sheet. In case you feel that there is more than one correct response, mark the response which you consider the best. In any case, choose ONLY ONE response for each item.
- 5. In case you find any discrepancy in this test booklet in any question(s) or the Responses, a written representation explaining the details of such alleged discrepancy, be submitted within three days, indicating the Question No(s) and the Test Booklet Series, in which the discrepancy is alleged. Representation not received within time shall not be entertained at all.
- 6. You have to mark all your responses ONLY on the separate Response Sheet provided. *See directions in the Response Sheet*.
- 7. All items carry equal marks. Attempt ALL items. Your total marks will depend only on the number of correct responses marked by you in the Response Sheet.
- 8. Before you proceed to mark in the Response Sheet the response to various items in the Test Booklet, you have to fill in some particulars in the Response Sheet as per instructions sent to you with your Admit Card and Instructions.
- 9. While writing Centre, Subject and Roll No. on the top of the Response Sheet in appropriate boxes use "ONLY BALL POINT PEN".
- 10. After you have completed filling in all your responses on the Response Sheet and the examination has concluded, you should hand over to the Invigilator only the Response Sheet. You are permitted to take away with you the Test Booklet.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

1.	Cerium is a member of:			
	(A) s-block element	(B)	f-block element	
	(C) d-block element	(D)	p-block element	
2.	The element with electronic configuration 1s ² , 2s ²	$2p^6, 3$	ss² is a/an :	
	(A) Metal	(B)	Non Metal	
	(C) Metalloid	(D)	Inert gas	
3.	Which of the following has Noble gas configuration	n ?		
	(A) La^{2+}	(B)	Ce^{3+}	
	(C) Ce ⁴⁺	(D)	Eu^{2+}	
4.	Nobelium with atomic number 102 has the electron	ic coi	nfiguration :	
	(A) $[Rn] 5f^7 6d^7 7s^2$	(B)	$[Rn] 5f^{10} 6d^4 7s^2$	
	(C) $[Rn] 5f^{14} 6d^{1} 7s^{1}$	(D)	$[Rn] 5f^{14} 6d^0 7s^2$	
5.	Elements of the same group are characterised by:			
	(A) Ionization potential			
	(B) Electron affinity			
	(C) Same number of electrons in the outer most sl	nell		
	(D) Electronegativity			
6.	Zr and Hf have similar atomic and ionic radii beca	use o	f:	
	(A) Diagonal relationship	(B)	Lanthanide contraction	
	(C) Both in the same period	(D)	Similar chemical properties	S
7.	Which of the given elements has the highest second	l ioniz	zation potential?	
	(A) O	(B)	N	
	(C) B	(D)	C	
8.	The attraction of an atom for electrons in a bonded	mole	ecule is called :	
	(A) Ionization potential	(B)	Oxidation potential	
	(C) Electron affinity	(D)	Electronegativity	
9.	Deuterium atom is an of hydrogen atom.			
	(A) Isotope	(B)	Isobar	
	(C) Isotone	(D)	Isomer	
EIJ	-49853-A	3 △		[Turn over
		_		

10. Complete the reaction scheme

 ${}^{9}_{4}\text{Be} + {}^{4}_{2}\text{He} \rightarrow {}^{12}_{6}\text{C} + \dots \text{choosing one of the following:}$

(C) ²H

(D) $\underset{-1}{\overset{0}{\operatorname{e}}}$

11. An isobar of $_{20}Ca^{40}$ is: (A) $_{18}Ar^{38}$

(C) $_{20}^{10}$ Ca 38

12. Which of the following complexes is most stable?

(A) $[M(NH_3)_6]^{2+}$

(C) $[M(bipyridine)_3]^{2+}$

(B) $[M(H_2O)_6]^{2+}$ (D) $[M(pyridine)_6]^{2+}$

13. Which of the following is non polar covalent molecule?

(A) All

(B) CO,

(C) CCl₄

(D) SiF₄

14. The strong forces operating in diamond structure are:

(A) Hydrophobic

(B) Covalent

(C) Ionic

(D) Coordinate Covalent

15. The central atom in H₂O molecule undergoes the hybridization:

(A) sp

(B) sp^2

(C) dp^2

(D) sp^3

16. In regular trigonal bipyramidal structure the bond angles are:

(A) 180° and 60°

(B) 60° and 60°

(C) 72° and 90°

(D) 120° and 90°

17. The hybridization of Tellurium in TeCl₄ molecule is:

(A) sp^3

(B) sp^3d

(C) dsp²

(D) d^2sp^3

18. The longest C-H bond distance is in the following molecule:

(A) C_2H_2

(B) $C_2H_2Br_2$

(C) $C_{2}H_{6}$

(D) C_2H_4

19. Oxidation state of 2⁺ of oxygen is observed in:

(A) F₂O

(B) H,O

(C) H₂O₂

(D) $O_{2}F_{2}$

20.	In the reduction of $\operatorname{Cr_2O_7}^{2-}$ by Fe^{2+} , the number of electrons involved per atom of chromium is:				
	(A) 3	(B)	5		
	(C) 1	(D)	4		
21.	. The oxidation state of Iron in Fe(CO) ₅ molecule is:				
	(A) 5^+	(B)	2^{+}		
	(C) 0	(D)			
22	During oxidation process electrons are:				
<i></i> .	(A) lost	(B)	gained		
	(C) paired up		remains same		
	(c) parts of	(2)	201144		
23.	$B_2H_6 + 2NH_3 \xrightarrow{\text{High temperature}} \text{ gives the product}$	et as :			
	(A) Boron nitrate	(B)	Borazole		
	(C) Boric acid	(D)	Borax		
24.	Which is the correct order of decreasing acid stren	gth h	alogen group from Cl to I?		
	(A) $HClO_3 > HBrO_3 > HIO_3$		$HIO_3 \simeq HClO_3 \simeq HBrO_3$		
	(C) $HBrO_3 > HClO_3 > HIO_3$		$HIO_3 > HClO_3 > HBrO_3$		
25.	Which of the following is soluble in excess of NaC)H?			
	(A) Ni(OH) ₂		Fe(OH) ₃		
	(C) Cr(OH) ₃		Al(OH) ₃		
26.	What is the 10 Dq value of $[Ni(CN)_4]^2$ complex?	,	,		
20.	(A) 120	(B)	12		
	(C) 24	(D)			
		()			
27.	Which of the 0.1 M aqueous solution will have the	lowe	st freezing point?		
	(A) $C_5 H_{10} O_5$	` ′	KI		
	(C) $Al_2(SO_4)_3$	(D)	$C_{12}H_{22}O_{11}$		
28.	Silver metal dissolves in a solution of sodium cyani	de in	the presence of air to form the complex:		
	(A) $Na[Ag(CN)_2]$	(B)	AgCN		
	(C) $Na[Ag(CN)_3]$	(D)	AgCl		
29.	The process of heating the concentrated ore in a li known as:	mite	d supply of air or in the absence of air is		
	(A) Roasting	(B)	Leaching		
	(C) Calcination		Cupellation		
		` /	•		

	30. If the principal quantum number $n = 3$, the magnetic quantum number m can take on values:				
	(A) 3	(B)	9		
	(C) 7	(D)	5		
		` ′			
31	Which of the following is pella magnetic in low spir	n state	a ?		
51.	(A) Co ²⁺				
		(D)	Fe ²⁺		
	(C) Ni^{2+}	(D)	Co ³⁺		
32.	$[Co(NH_3)_4Cl_2]NO_2$ and $[Co(NH_3)_4(Cl)(NO_2)]Cl_3$	are is	omers of :		
	(A) Coordination	(B)	Optical		
	(C) Geometrical		Ionization		
	(0)	(-)			
33	$K[A](C \cap A)$ lie called by its $IIIPAC$ name as:				
55.	$K_3[Al(C_2O_4)_3]$ is called by its IUPAC name as:	(D)	Detections to overlate absorbinity (iii)		
	(A) Potassium trioxalatoaluminate (iii)		Potassium trioxalatoaluminium (iii)		
	(C) Potassium trioxalatealumininate (iv)	(D)	Potassium Aluminum Oxalate		
34.	What is the structure of IF ₇ ?				
	(A) Trigonal bipyramidal	(B)	Square pyramidal		
	(C) Pentagonal bipyramidal	(D)	1 17		
	(c) Tomagonarospyramour	(2)	Tingonai piana		
25	The EAN of INI(NIII) 12+; a.				
33.	The EAN of $[Ni(NH_3)_6]^{2+}$ is:	(D)	20		
	(A) 34	(B)			
	(C) 36	(D)	40		
36.	How many number of chlorides will be precipitated with an excess of silver nitrate? (A) 3		<i>3</i> - 2		
36.	with an excess of silver nitrate? (A) 3	(B)	1		
36.	with an excess of silver nitrate?		1		
	with an excess of silver nitrate? (A) 3 (C) 0	(B) (D)	1 2		
	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black	(B) (D) on he	1 2 ating and restores its colour on cooling?		
	with an excess of silver nitrate ? (A) 3 (C) 0 Which of the following red substances turns black (A) ${\rm Fe_3O_4}$	(B) (D) on he (B)	$\begin{array}{c} 1 \\ 2 \\ \\ \text{ating and restores its colour on cooling ?} \\ \text{Pb}_3\text{O}_4 \\ \end{array}$		
	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black	(B) (D) on he (B)	1 2 ating and restores its colour on cooling?		
37.	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black (A) Fe ₃ O ₄ (C) Na ₂ CrO ₄	(B) (D) on he (B) (D)	$\begin{array}{c} 1 \\ 2 \\ \text{ating and restores its colour on cooling ?} \\ \text{Pb}_3\text{O}_4 \\ \text{NaClO}_4 \\ \end{array}$		
37.	with an excess of silver nitrate ? (A) 3 (C) 0 Which of the following red substances turns black (A) ${\rm Fe_3O_4}$	(B) (D) on he (B) (D)	$\begin{array}{c} 1 \\ 2 \\ \text{ating and restores its colour on cooling ?} \\ \text{Pb}_3\text{O}_4 \\ \text{NaClO}_4 \\ \end{array}$		
37.	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black (A) Fe ₃ O ₄ (C) Na ₂ CrO ₄	(B) (D) on he (B) (D)	$\begin{array}{c} 1 \\ 2 \\ \\ \text{ating and restores its colour on cooling?} \\ \text{Pb}_3\text{O}_4 \\ \text{NaClO}_4 \\ \\ \text{lphur?} \end{array}$		
37.	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black (A) Fe ₃ O ₄ (C) Na ₂ CrO ₄ Which of the halogens will form most hexahalide w (A) Cl	(B) (D) on he (B) (D) rith su (B)	1 2 ating and restores its colour on cooling? Pb ₃ O ₄ NaClO ₄ lphur? I		
37.	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black (A) Fe ₃ O ₄ (C) Na ₂ CrO ₄ Which of the halogens will form most hexahalide w	(B) (D) on he (B) (D)	1 2 ating and restores its colour on cooling? Pb ₃ O ₄ NaClO ₄ lphur? I		
37. 38.	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black (A) Fe ₃ O ₄ (C) Na ₂ CrO ₄ Which of the halogens will form most hexahalide w (A) Cl (C) F	(B) (D) on he (B) (D) rith su (B)	1 2 ating and restores its colour on cooling? Pb ₃ O ₄ NaClO ₄ lphur? I		
37. 38.	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black (A) Fe_3O_4 (C) Na_2CrO_4 Which of the halogens will form most hexahalide w (A) Cl (C) F [Pt(NH ₃) ₂ Cl ₂] exhibits the isomerism called:	(B) (D) on he (B) (D) rith su (B) (D)	1 2 ating and restores its colour on cooling? Pb ₃ O ₄ NaClO ₄ llphur? I Br		
37. 38.	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black (A) Fe ₃ O ₄ (C) Na ₂ CrO ₄ Which of the halogens will form most hexahalide w (A) Cl (C) F [Pt(NH ₃) ₂ Cl ₂] exhibits the isomerism called: (A) Cis-trans	(B) (D) on he (B) (D) rith su (B) (D)	1 2 ating and restores its colour on cooling? Pb ₃ O ₄ NaClO ₄ llphur? I Br		
37. 38.	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black (A) Fe_3O_4 (C) Na_2CrO_4 Which of the halogens will form most hexahalide w (A) Cl (C) F [Pt(NH ₃) ₂ Cl ₂] exhibits the isomerism called:	(B) (D) on he (B) (D) rith su (B) (D)	1 2 ating and restores its colour on cooling? Pb ₃ O ₄ NaClO ₄ llphur? I Br		
37. 38.	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black (A) Fe ₃ O ₄ (C) Na ₂ CrO ₄ Which of the halogens will form most hexahalide w (A) Cl (C) F [Pt(NH ₃) ₂ Cl ₂] exhibits the isomerism called: (A) Cis-trans	(B) (D) on he (B) (D) rith su (B) (D)	1 2 ating and restores its colour on cooling? Pb ₃ O ₄ NaClO ₄ llphur? I Br		
37. 38.	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black (A) Fe ₃ O ₄ (C) Na ₂ CrO ₄ Which of the halogens will form most hexahalide w (A) Cl (C) F [Pt(NH ₃) ₂ Cl ₂] exhibits the isomerism called: (A) Cis-trans	(B) (D) on he (B) (D) rith su (B) (D) (B) (D)	1 2 ating and restores its colour on cooling? Pb ₃ O ₄ NaClO ₄ llphur? I Br Linkage Coordination position		
37.38.39.	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black (A) Fe ₃ O ₄ (C) Na ₂ CrO ₄ Which of the halogens will form most hexahalide w (A) Cl (C) F [Pt(NH ₃) ₂ Cl ₂] exhibits the isomerism called: (A) Cis-trans (C) Ionization	(B) (D) on he (B) (D) rith su (B) (D) (B) (D)	1 2 ating and restores its colour on cooling? Pb ₃ O ₄ NaClO ₄ llphur? I Br Linkage Coordination position		
37.38.39.	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black (A) Fe_3O_4 (C) Na_2CrO_4 Which of the halogens will form most hexahalide w (A) Cl (C) F [Pt(NH ₃) ₂ Cl ₂] exhibits the isomerism called: (A) Cis -trans (C) Ionization When a reagent $K_4[Fe(CN)_6]$ is added to an aque (A) Eis -trans Blood red colouration	(B) (D) on he (B) (D) rith su (B) (D) (B) (D) ous so (B)	ating and restores its colour on cooling? Pb ₃ O ₄ NaClO ₄ lphur? I Br Linkage Coordination position clution FeCl ₃ it gives: Apple green colouration		
37.38.39.	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black (A) Fe_3O_4 (C) Na_2CrO_4 Which of the halogens will form most hexahalide w (A) Cl (C) F [Pt(NH $_3$) $_2Cl_2$] exhibits the isomerism called: (A) Cis -trans (C) Ionization When a reagent $K_4[Fe(CN)_6]$ is added to an aque	(B) (D) on he (B) (D) rith su (B) (D) (B) (D) ous so (B)	ating and restores its colour on cooling? Pb ₃ O ₄ NaClO ₄ llphur? I Br Linkage Coordination position blution FeCl ₃ it gives:		
37.38.39.40.	with an excess of silver nitrate? (A) 3 (C) 0 Which of the following red substances turns black (A) Fe_3O_4 (C) Na_2CrO_4 Which of the halogens will form most hexahalide w (A) Cl (C) F [Pt(NH ₃) ₂ Cl ₂] exhibits the isomerism called: (A) Cis -trans (C) Ionization When a reagent $K_4[Fe(CN)_6]$ is added to an aque (A) Eis -trans Blood red colouration	(B) (D) on he (B) (D) rith su (B) (D) (B) (D) ous so (B)	ating and restores its colour on cooling? Pb ₃ O ₄ NaClO ₄ lphur? I Br Linkage Coordination position clution FeCl ₃ it gives: Apple green colouration		

- 41. Paul-Knorr synthesis of Pyrroles involves the reaction of NH₃ with:
 - (A) 1, 2-Dicarbonyl Compounds
- (B) 1, 3-Dicarbonyl Compounds
- (C) 1, 4-Dicarbonyl Compounds
- (D) 1, 5-Dicarbonyl Compounds
- 42. Which one of the following is the major product in the nitration of Naphthalene?
 - (A) 2-NO₂ naphthalene

(B) 3-NO₂ naphthalene

(C) 6-NO₂ naphthalene

(D) 1-NO₂ naphthalene

43. $HS - CH_2 - CH - CO_2H$ \mid NH_2

What is the name of this compound?

(A) Serine

(B) Alanine

(C) Cysteine

- (D) Glycine
- 44. Which one of the following Vitamins is essential for coagulation of Blood?
 - (A) K

(B) C

(C) A

- (D) B1
- 45. Identify the heterocyclic ring containing amino acid from the following:
 - (A) Valine

(B) Histidine

(C) Leucine

(D) Phenylalanine

46.
$$(NO_2^+)(BF_4^-) \rightarrow z$$

z in the above reaction is:

(A) CF_3 BF_3

 $\mathbf{B}) \quad \bigcirc \\ \mathbf{NO}$

(C) O O O

 $(D) \bigcirc (CF_3)$

47.

This conformation of cyclohexane is called as:

(A) Twist boat

(B) Deformed chair

(C) Chair

(D) Boat

48.	Identify Thiosemicarbazide from the following:		
	(A) H ₂ N–SH	(B)	H ₂ N-C-NH-NH ₂
		` /	H ₂ N-C-NH-NH ₂ S
	(C) H – C – NH – NH ₂	(D)	H ₂ N-C-NH-NH ₂
	(C) H–C–NH–NH ₂ O		$\begin{array}{c} \mathbf{H_2N-C-NH-NH_2} \\ \parallel \\ \mathbf{O} \end{array}$
40			-
49.	Ethylmethylamine exhibits which one of the following (A) Enantiomerism	_	Diastereomerism
	(C) Dynamic enantiomerism	` /	Geometric isomerism
	(c) Bynamic chamomerism	(D)	Geometre isomerism
50.	Methyl–α–D–glucoside and Methyl–β–D–glucosi	de re	present:
	(A) Epimers	(B)	Homomers
	(C) Atropisomers	(D)	Anomers
	W		
51.	What is the source of UV radiation?	(D)	DE assillator
	(A) Hydrogen gas discharge lamp	` ′	RF oscillator Nernst Filament
	(C) Klystron oscillator	(D)	Nemst Phament
52.	Which transitions are studied by UV spectrometer	?	
	(A) Rotational		Electronic
	(C) Nuclear	(D)	Vibrational
53.	One nm is equal to:	(D)	10-6
	(A) 10^{-5} cm (C) 10^{-7} cm	(B)	10 ⁻⁶ cm 10 ⁻⁸ cm
	(C) 10 cm	(D)	10 cm
54.	The structure of sulphur dioxide molecule (SO ₂) m	av be	given as :
	(A) Tetrahedral	•	Bent
	(C) Linear	` ′	Plane triangle
55.	Identify the preferred solvent for recording H–NM	_	
	(A) CDCl ₃	(B)	C ₆ H ₆ CHCl ₃
	(C) H ₃ C-C-CH ₃	(D)	CHCl ₃
	Ö		
56	In \dot{H} -NMR the aldehydic proton resonates at δ (j	nm)	value of :
50.	(A) 1.80		2.50
	(/ -· - · · · ·	()	

(A) Eclipsed

(C) 9.80

(B) Partially eclipsed

(C) Gauche

(D) Anti

(D) 7.20

- 58. An SN1 reaction results in:
 - (A) Retention

(B) Racemisation

(C) Inversion

- (D) Elimination
- 59. Among the following which alcohol is most reactive with a hydrogen halide?
 - (A) Ethyl

(B) t-Butyl

(C) Benzyl

- (D) Isopropyl
- 60. $H_3C C \equiv C CH_2 CH_3 \xrightarrow{H_2 \atop \text{Lindlar catalyst}} z$

Structure of z is:

- (A) $H_3C CH = CH CH_2 CH_3$
- (B) $H_3C CH_2 CH = CH CH_3$
- (C) $H_3^3C CH_2^2 CH_2 CH_2 CH_3$
- (D) $H_2C = CH CH_2 CH_2 CH_3$
- 61. Oxidation of 3-pentanol yields:
 - (A) Diethyl ketone

(B) Acetone

(C) Methyl ethyl ketone

- (D) Acetone + Acetic acid
- 62. What is the order of a base catalyzed bimolecular elimination reaction of an alkyl halide?
 - (A) First order

(B) Pseudo first order

(C) Second order

- (D) Zero order
- 63. Identify the product in the addition reaction of HBr to propene in the presence of peroxide:
 - (A) 2-Bromopropane

(B) 1-Bromopropane

(C) 1, 2–Dibromopropane

- (D) 1, 1–Dibromopropane
- 64. 3-Hexene $\xrightarrow{1 \text{ O}_3}$ product(s)

What are the products in the above reaction?

(A) Acetaldehyde + Butanal

(B) Formaldehyde + Pentanal

(C) Acetone + Butanal

(D) Propanal + Propanal

The configuration of this compound is:

(A) 1R, 2S

(B) 1S, 2R

(C) 1R, 2R

(D) 1S, 2S

66. $3C_6H_6 + CCl_4 \xrightarrow{AlCl_3} Y$

Structure of Y is:

(A) $C_6H_5CCl_3$

(B) $C_6H_5CHCl_7$

 $(C) (C_6H_5)_3CH$

(D) $(C_6H_5)_3C-C1$

EIJ-49853-A

y


[Turn over

67.
$$\begin{array}{c}
CH_{3} & CHCl_{2} \\
\hline
 & Cl_{2} \\
\hline
 & h\nu
\end{array}$$


$$\begin{array}{c}
CaCO_{3} \\
\hline
 & H_{2}O
\end{array}$$

$$\begin{array}{c}
CaCO_{3} \\
\hline
 & H_{2}O
\end{array}$$

Identify z from the following:







68. Which one of the following does not give an Iodoform test?

(A)
$$Ph - CH_2 - CH_2 - OH$$

$$\begin{array}{ccc} \text{(B)} & \text{Ph}-\text{CH}-\text{CH}_3 \\ & | \\ & \text{OH} \end{array}$$

(C)
$$H_3C - CH - CH_2 - CH_3$$

 \mid
OH

(D)
$$H_3C - CH_2 - OH$$

69. Identify succinic acid from the following:

(A)
$$CH_2$$
 CO_2H CO_2H

(C)
$$(CH_2)_2$$
 CO_2H CO_2H

70. $H_5C_2 - O - C - O - C_2H_5$. This structure represents which one of the following?

(A) Carbonyl compound

(B) Alkoxide

(C) Ester

(D) Diether

71.
$$Ph - C - CH_3 + Ph - CHO \xrightarrow{\Theta_{OH}} z$$

Structure of z is:

- (A) $Ph CO_2H$
- (B) $Ph CH_2OH$
- (D) Ph CH = CH C Ph
- 72. The specis formed during the Hofman rearrangement is:
 - $(A) \quad R C N_2^{+}$ 0

(B) RNCO

 $\begin{array}{cc} (C) & R-C-N_{_{3}} \\ & \\ O \end{array}$

- (D) RCNO
- 73. Which alkyl halide is most reactive in aliphatic SN2 reaction?
 - (A) R-I

(B) R - Br

(C) R-Cl

(D) R - F

74.
$$Y + H_2C = CH - CHO \rightarrow \bigcirc$$
 CHO

What is Y in the above reaction?


(A) H₂C = CH₂


- (B) $H_2C = CH CH = CH_2$
- (C) $H_2C = CH CH = CH CH_3$
- (D)
- 75. An alkaline solution of cupric ion complexed with tartarate ion is known as:
 - (A) Tollen's reagent

(B) Benedict's reagent

(C) Fehling's reagent

- (D) Bayer's reagent
- 76. $H_2N CH_2 CH CH_2 CO_2H \xrightarrow{\Delta}$ product : CH_2





- 77. Identify the $n \to \pi^*$ band (nm) of a C = C in the UV spectrum from the following:
 - (A) ~ 300

(B) ~ 200

(C) ~ 250

- (D) ~ 150
- 78. Appearence of two bands in the region of $3500 3300^{\text{cm}^{-1}}$ in IR spectrum is due to which one of the following groups?
 - $(A) NH_2$

(B) - N - H

(C) - SH

- (D) C1
- 79. Identify the Fundamental NMR equation from the following:
 - $(A) \gamma B_1 t_n$

(B) ε.l.c

(C) $\frac{H_oV}{2\pi}$

- (D) $-\Delta E/kT$
- 80. Magnetic anisotropy is shown by which one of the following?
 - (A) CH_{A}

(B) $CH_3 - CH_2 - OH$

(C) $H_3C - CH_2 - CH_2 - CI$

- 81. Average kinetic energy per molecule is:
 - (A)

(B) $\frac{3}{2}$ RT

(C) $\frac{1}{2}$ kT

- (D) $\frac{1}{2}$ RT
- 82. Rootmean square speed of gas molecule is:
 - (A) $\sqrt{2RT/M}$

(B) $\sqrt{\frac{3RT}{M}}$

(C) $\sqrt{\frac{3RT}{N}}$

- (D) $\sqrt{\frac{8RT}{M}}$
- 83. For one mole of gas C_p and C_v relations are :

(B) $C_p = C_V - R$ (D) $C_p = C_V \cdot R$

(A) $C_{p} = C_{v}$ (C) $C_{p} = C_{v} + R$

84.	The compressibility factor for ideal gas is:		
	(A) Zero	(B)	
	(C) > 1	(D)	< 1
85.	The units of van der Waal's constant 'a' are:		
00.	(A) Moles/lit	(B)	Atm litre ² mol ⁻²
	(C) lit/mol	` ′	atmospheres
86.	The value of P_cV_c/RT_c is:	(D)	0.275
	(A) 8.314 (C) 2.000	` ′	0.375 0.082
	(C) 2.000	(D)	0.082
87.	Half-life period (t½) is not effected by changing co	ncen	tration of reactants in the reaction of:
	(A) First order	(B)	Second order
	(C) Zero order	(D)	0.5 order
QO	Which of the following is not true for zero order re	ootic:	ng 9
00.	(A) Rate = Rate constant	actio	118 :
	(B) Rate is independent of concentrations		
	(C) Rate does not change with time		
	(D) Rate increase with increase in concentrations		
90	The helf life of first and an acception is 0.1 and The		anatantia.
89.	The half-life of first order reaction is 0.1 sec. The 1 (A) 6.93 sec		0.0693 sec^{-1}
	(C) 69.3 sec	` /	6.93 sec ⁻¹
		` /	
90.	The units of rate of zero order reaction is:		_1
	(A) Sec ⁻¹		Mol lit ⁻¹
	(C) Mol lit ⁻¹ sec ⁻¹	(D)	Mol lit ⁻¹ sec
91.	The rate constant for first order reaction is 0.01	sec^{-1}	. If the initial concentration of reactant
	A is 0.1 M, the initial rate is:		
	(A) 1×10^{-2}	(B)	1×10^{-3}
	(C) 0.1	(D)	1.1×10^{-2}
92	The pH of 0.05M H ₂ SO ₄ solution is:		
<i>-</i> - .	(A) 2.70	(B)	5.20
	(C) 1.00	. ,	2.05
0.2		1 o ⁻³	
93.	The dissociation constant of weak acid HA is 1×1 solution is:	10°a	and its concentration is 0.1 M. The pH of
	(A) 1	(B)	2
	(C) 3	(D)	
	400.70		
EIJ.	-49853-A	13 □	[Turn over

94.	The units of molar conductance are:		
	(A) Sm2 mol-1	(B)	$S^{-1} m^2 m M^{-1}$
	(C) $S \operatorname{mol} m^2$	(D)	$S^{-1} \mod M$
95.	Which of the following ions has highest ionic mobile	ity?	
	(A) OH -	(B)	Li ⁺
	(C) Cs ⁺	(D)	H^+
96.	The cell in which electrical energy is converted to c	hemi	cal energy is:
	(A) Galvanic cell	(B)	Voltaic cell
	(C) Electrolytic cell	(D)	Electrochemical cell
97.	The standard reduction potentials of Zn^{2+}/Zn and Cn^{2+}/Zn		Cu are – 0.76v and + 0.34v respectively
	(A) $+0.42v$		1.10v
	(C) -1.10v	` ′	-0.42v
	(C) 1.10V	(D)	0.721
98.	Arrhenius theory of electrolytic conduction does no	ot app	oly to:
	(A) HCN	(B)	NH_4OH
	(C) CH ₃ COOH	(D)	KCl
99.	Under Isobaric conditions the heat absorbed by the	e syst	em qp is given by:
	(A) $qp = \Delta H$	(B)	$qp = \Delta E$
	(C) $qp = \Delta E + \Delta V$	(D)	$qp = \Delta E - P\Delta V$
100	C_{p} and C_{v} relation for He gas is:		
	$(A) C_p > C_v$	(B)	$C_p = C_v$
	$(C) C_{P} = C_{V} + R$		$C_{p} = C_{v} + 2R$
101	. In isothermal expansion of gases, which of the follo	wing	; is zero ?
	(A) q (heat absorbed)	(B)	
	(C) ΔE	(D)	ΔV
102	. Which of the following gases warmed up in adiaba	tic ex	pansion?
	(A) O_2	(B)	-
	(C) Ne	(D)	2
		` /	2

103. The ΔE and ΔH relation for the reaction

$$C_6H_6(\ell) + 7\frac{1}{2}O_2(g) \rightarrow 6CO_2(g) + 3H_2O(\ell)$$
 is:
(A) $\Delta H = \Delta E - 1.5 RT$

(A)
$$\Delta H = \Delta E - 1.5 RT$$

(B)
$$\Delta H = \Delta E + 1.5 RT$$

(C)
$$\Delta H = \Delta E + \frac{1}{2} RT$$

(D)
$$\Delta H = \Delta E$$

104.	Which of the following is true for spontaneous prod (A) $\Delta G = + ve$ (C) $\Delta G = 0$	(B)	$\Delta G = -ve$ $\Delta G = \Delta S = \Delta H = 0$
105.	The number of degrees of freedom at triple point in (A) 1 (C) 2	(B) (D)	0
106.	The phase rule for condensed systems (Ex : Pb-Ag (A) $F = C - P + 2$ (C) $F = C - P + 3$	(B)	tem) at constant P is: F = C - P + 1 F = C + P - 1
107.	Gels are: (A) solids dispersed in solid (C) solids dispersed in liquid		solids dispersed in gas Liquids dispersed in solids
108.	Highest flocculation value exhibited for $Fe(OH)_3$ so (A) KCl (C) $K_3[Fe(CN)_6]$	(B)	n is: K ₂ Cr ₂ O ₄ BaCl ₂
109.	Tyndall effect is shown by: (A) Ideal solutions (C) Starch solution		AgCl suspension K ₂ Cr ₂ O ₇ solution
110.	A catalyst is: (A) Consumed in reaction (C) Not affected in reaction	` ′	Produced in reaction Undergoes chemical change
111.	In an auto catalytic reaction, the rate of reaction: (A) Increase with time (C) Decrease with time	` ′	Not affected with time Can't be predicted
112.	Pb(C ₂ H ₅) ₄ in petrol acts as: (A) Catalyst (C) Activator		Promoter Inhibitor
113.	The distribution coefficient expression for distribu		
	obtained experimentally as $K = \sqrt{C_{Benzene}} / C_{Water}$,		
	(A) Dimer in Benzene(C) Dissociated in Benzene	` ′	Monomer in Benzene Dimer in Water
114.	At equilibrium the free energy change (ΔG) is :		
	(A) 0 (C) + ve	` ′	– ve infinity
EIJ.	-49853-A	15 □	[Turn over

equilibrium the forward reaction is favoured when:		$2 \text{ NO}_2(g) + O_2(g) \Longrightarrow 2 \text{NO}_2(g) + \text{hea}$
(A) High T and High P		Low T and Low P
(C) Low T and High P		High T only
116. Which of the following is not colligative property?		
(A) Relative lowering of VP	(B)	Elevation of BP
(C) Osmotic pressure	(D)	Freezing point
117. Which of the following solution has largest osmotic	pres	sure?
(A) 0.1M Glucose	(B)	0.11M Urea
(C) 0.1M BaCl_2	(D)	0.1 M KCl
118. Two isotonic solutions will have same:		
(A) Vapour pressure	(B)	Boiling point
(C) Freezing point	(D)	Osmotic pressure
119. A non-volatile solid is added to water. Its freezing p	oint v	will:
(A) Increase	(B)	Decrease
(C) No change	(D)	Can't be predicted
120. Sea water can be converted into fresh water by:		
(A) Osmosis	(B)	Sedimentation
(C) Diffusion	(D)	Reverse Osmosis